



Home Innovation
NGBS GREEN CERTIFIED™


THIS SIGNIFIES THE FOLLOWING CONSTRUCTION PRODUCTS

STYLE CREST SPECIALTY SIDING AND SOFFIT

MANUFACTURED BY

STYLE CREST®

ARE CERTIFIED FOR POINTS TOWARD NGBS GREEN CERTIFICATION TO THE ICC-700 NATIONAL GREEN BUILDING STANDARD, AS DETAILED BELOW.



Thomas M. Kenney, P.E. – VP Research & Engineering

December 23, 2009
Approval Date

November 30, 2021
Expiration Date

CERTIFICATE #000098

This certificate is not a representation, warranty, or guarantee of product performance or certification of code compliance. For details of the product warranty, consult the product manufacturer.



NGBS Green Certificate #NGBSGCP-000098

Products: Style Crest Specialty Siding and Soffit

Manufacturer: Style Crest®

The product(s) shown on this report have been independently verified as eligible products for use in achieving points toward project certification under ICC-700 National Green Building Standard. Home Innovation Research Labs authorizes accredited verifiers to award points toward certification without additional documentation when the product(s) is used as noted below.

2012 NATIONAL GREEN BUILDING STANDARD			
PRACTICE #	PRACTICE DESCRIPTION	POTENTIAL POINTS AVAILABLE	ADDITIONAL CONDITIONS OF USE TO AWARD POINTS
2012 NGBS 601.7	Building materials/assemblies do not require additional site applied material for finishing. 12 points max. awarded.	1,2,5	For 5 points, 90% or more of the installed wall coverings must be this product. For 2 points, 50-90% of the installed wall coverings must be this product. For 1 point, at least 35% must be this product.

2012 NATIONAL GREEN BUILDING STANDARD			
PRACTICE #	PRACTICE DESCRIPTION	POTENTIAL POINTS AVAILABLE	ADDITIONAL CONDITIONS OF USE TO AWARD POINTS
2012 NGBS 602.1.6	Termite-resistant materials are used in portions of the building.	2-6	To earn 2 points, product is used in conjunction with other termite-resistant materials for the first 2' of all the foundation, floor, and structural wall, wall cladding, and exterior deck components in zones with slight to moderate termite infestation. Four points are awarded when used in conjunction with other termite-resistant materials for the first 3' in moderate to heavy termite zones, and 6 points are awarded for use with other termite-resistant materials for all of the foundation, floor, and structural wall, wall cladding, and exterior deck components in areas of very heavy termites.
2012 NGBS 604.1	Building materials with Recycled content are used for at least 2 major or 2 minor components.	1-4	Points awarded for 2 products w/ recycled content. For 4 point, this product and another product with at least 75% recycle content must be used for major components of the building. Lesser points available for lower recycled content in the second product or for use as a minor component.

2015 NATIONAL GREEN BUILDING STANDARD			
PRACTICE #	PRACTICE DESCRIPTION	POTENTIAL POINTS AVAILABLE	ADDITIONAL CONDITIONS OF USE TO AWARD POINTS
2015 NGBS 601.7	Prefinished building materials or assemblies listed below have no additional site-applied finishing material are installed.	1,2,5	For 5 points, 90% or more of the installed wall coverings must be this product. For 2 points, 50-90% of the installed wall coverings must be this product. For 1 point, at least 35% must be this product.
2015 NGBS 602.1.6	Termite-resistant materials are used in portions of the building. . .	2-6	To earn 2 points, product is used in conjunction with other termite-resistant materials for the first 2' of all the foundation, floor, and structural wall, wall cladding, and exterior deck components in zones with slight to moderate termite infestation. Four points are awarded when used in conjunction with other termite-resistant materials for the first 3' in moderate to heavy termite zones, and 6 points are awarded for use with other termite-resistant materials for all of the foundation, floor, and structural wall, wall cladding, and exterior deck components in areas of very heavy termites.
2015 NGBS 604.1	Building materials with Recycled content are used for at least 2 major or 2 minor components.	1-4	Points awarded for 2 products w/ recycled content. For 4 point, this product and another product with at least 75% recycle content must be used for major components of the building. Lesser points available for lower recycled content in the second product or for use as a minor component.

2020 NATIONAL GREEN BUILDING STANDARD			
PRACTICE #	PRACTICE DESCRIPTION	POTENTIAL POINTS AVAILABLE	ADDITIONAL CONDITIONS OF USE TO AWARD POINTS
2020 NGBS 601.7	Prefinished building materials or assemblies listed	1, 2, 5	For 5 points, 90% or more of the installed wall coverings must be this product. For 2 points, 50-90% of the installed wall coverings must be this product. For 1 point, at least 35% must be this product.
2020 NGBS 602.1.6	Termite-resistant materials are used in portions of the building.	2-6	To earn 2 points, product is used in conjunction with other termite-resistant materials for the first 2' of all the foundation, floor, and structural wall, wall cladding, and exterior deck components in zones with slight to moderate termite infestation. Four points are awarded when used in conjunction with other termite-resistant materials for the first 3' in moderate to heavy termite zones, and 6 points are awarded for use with other termite-resistant materials for all of the foundation, floor, and structural wall, wall cladding, and exterior deck components in areas of very heavy termites.
2020 NGBS 604.1	Building materials with recycled content are used for two minor and/or two major components of the building. 1-6 points available.	1-4	Points awarded for 2 products w/ recycled content. For 4 point, this product and another product with at least 75% recycle content must be used for major components of the building. Lesser points available for lower recycled content in the second product or for use as a minor component.